



A:2

US EPA RECORDS CENTER REGION 5



May 2, 1990

Mr. Robert Swale
U.S. Environmental Protection Agency
Region V, 5HS-11
230 South Dearborn Street
Chicago, IL 60604

Re: Low Detection Limit SOP's
American Chemical Services RI/FS

Dear Mr. Swale:

Please find enclosed Standard Operating Procedures (SOP's) for the analysis of volatile organic compounds, semivolatiles and pesticide/PCB's in residential well samples near the American Chemical Services (ACS) Site. These SOP's are to be included in the ACS QAPP Addendum dated December 1989.

I have also included a copy of the letter CompuChem sent to Dr. Tsai of the Region V, Quality Assurance Section (QAS) regarding these SOP's. It is CompuChem's understanding that they will follow the (SOP's) with the modifications outlined and agreed to in the attached letter.

Should you have any questions regarding this information please call me at (608) 273-0440.

Sincerely,

WARZYN ENGINEERING INC.

John D. Dadisman
Project Chemist

Enclosures: As Stated

cc: Peter J. Vagt - WEI

JDD/bes/KJD
[bes-105-97]
60251

Warzyn Engineering Inc.
One Science Court
University Research Park
P.O. Box 5385
Madison, Wisconsin 53705
(608) 273-0440